

WINEMASTER

FRENCH MANUFACTURER OF WINE CELLAR AIR CONDITIONERS

THE MOST BEAUTIFUL WINDOW SHOWCASE

In order to meet the building requirements for glassed-in spaces, WineMaster is launching a new line of wine cellar air conditioners: SPLIT SP40. Whether you are a passionate connoisseur or a restaurant business professional, your wine collection deserves the most beautiful window showcases for everyone's enjoyment.



WINE CELLAR AIR CONDITIONER



40 m³

Air-conditioning up to 40m³



High performance integrated thermostat



Quiet



Respectful of the environment



Ideal climate conditions for the preservation of your wine



NEW
Connectable device
(function with subscription)

WINE SP40 CE PRO

THE SPLIT UNITS







WINE SP40 CE^{PRO}

- Keeps cellars at a constant temperature between 8 and 18 °C *
- Humidity control: excess humidity is condensed and evacuated outside
- Rubber shock absorbers are incorporated, creating an anti-vibration system
- Wired electronic thermostat regulation
- Washable filter for easy and quick maintenance
- Automatic defrost for maximum cooling efficiency
- 2-year warranty
- This model must be installed by a professional


OUTSIDE UNIT



INSTALLATION DIAGRAM



INSIDE UNIT





WINE SP40 THE NEW GENERATION OF AIR CONDITIONERS FOR WINE CELLARS

The WineMaster product range was designed to provide optimal air conditioning solutions for the wine cellar of your dreams.

Thanks to constant temperature and humidity control, your wines can flourish all year long in a wine cellar under the best conditions, even in extreme outside temperatures (-30°C to +40°C).

The SP40 is available in three versions: only the indoor unit differs—ceiling version (CE), wall version (DU), and a version suitable for cabinets or small spaces (CA).

REFERENCE	SP40 CE PRO
Air conditioning capacity*	Up to 40 m ³
Cooling capacity (watt)	900
Heating capacity (watt)	500

CONDENSATION GROUP (EXTERNAL UNIT)	
Airflow rate	840 m ³ /h
Sound level	42db (1m)
Weight	60 Kg
Dimensions H x W x D	640 x 853 x 424 mm
Electrical supply	230-240 V - 50Hz
Body color	RAL 7012
Coolant	R1234yf
Secure pressure switch HP	●
Oil separator	●
Pressure actuated speed controller	●
Waterproof electrical box	●
Check valve	●
Washable air filter	●
Refrigerant line	1/4 and 3/8
Heating belt	●

EVAPORATOR (INSIDE UNIT)	
Weight with cover / without cover	23 kg / 18 Kg
Dimensions D x H x W with cover	154 x 950 x 725 mm
Dimensions D x H x W without cover	152 x 806 x 650 mm
Body color	RAL 9005
Number of speeds	2
Dehydrator	●
Thermostatic expansion valve	●
Heating resistor	●
Regulation	wire

*With proper insulation and adaptation to the volume of the cellar.

** The power may be reduced depending on the outside temperature, which is why the device may lose its capacity to maintain the cellar at 12°C if the outside temperature approaches 35°C.

WINEMASTER CONNECT, Just one box and your wine cellar is connected!



Optimal wine
conservation



Remote
supervision



Statistics
in real time



Failure alerts

Thanks to WineMaster Connect, you can remotely adjust and ensure the correct operation of your air conditioner. Simply plug our connected box into your air conditioner to monitor or change the main operating parameters in real time.

This device requires a subscription. Ask your retailer for pricing details.



A STORY OF LOVE AND TERROIR...

It is in the foothills of the Alsatian vineyards, where the wine route starts, that the WineMaster story begins. Our attachment to the terroir and our love of wine have always been the source of our thought process and creativity.

Since its inception in 1984, the skills and know-how of the men and women of WineMaster have been at the heart of every step in the air conditioner manufacturing process.

Quality and detail are what motivate us, and we are proud of our products and their 100% Alsatian design.

“ INNOVATION AND EXCELLENCE ARE
WINEMASTER'S KEY VALUES. ”

